

Trade name: GasBuddex with 15 mm tip and 2 cartridges

Version: 2 / DK

Substance number:: 1731

Replaces Version: 1 / DK

Date revised: 06.02.2025

Print date: 21.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

GasBuddex with 15 mm tip and 2 cartridges

Registration no.

UFI

USU4-X0T4-V003-D21M

Substance / product identification

PR-No. 1730, 1731, 1756, 1766

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Liquefied gas mixture

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Albert Kerbl GmbH	
Felizenzell 9	
84428 Buchbach	
Telephone no.	+49 8086 933-100
Fax no.	+49 8086 933-500
Information provided	Albert Kerbl GmbH Tel.: 0049-(0)8086-933-302
by / telephone	
E-mail address of	sdb-team@kerbl.com
person responsible	
for this SDS	

1.4. Emergency telephone number

Joint poison information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia c/o HELIOS Klinikum Erfurt Nordhäuser Strasse 74

Tel.: (03 61) 73 07 30 - Fax: (03 61) 7 30 73 17 E-Mail: ggiz@ggiz-erfurt.de - Internet: www.ggiz-erfurt.de

Nødtelefon: +45 82 12 12 12 (Giftlinjen, Bispebjerg Hospital)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Gas 1 H220

Press. Gas (Liq.) H280

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Taue name. Gasbuuuek with	n 15 mm tip and 2 cartrid	ges			
	Version: 2 / [ЭK		Date	revised: 06.02.2025
Substance number:: 1731	Replaces Ve	rsion: 1 / DK		Print	date: 21.03.2025
Labelling accord	ing to regulation (E	C) No 1272	2/2008		
Hazard pictograms	U U (
	\rightarrow				
Signal word					
Danger					
Hazard statements					
H220	Extremely flammab	-			
H280	Contains gas under	pressure; ma	ay explo	de if heated.	
Precautionary state					
P102	Keep out of reach o				
P210			es, spar	ks, open flan	nes and other ignition
P377	sources. No smokin Leaking gas fire: Do	-	sh unles	s leak can h	e stonned safely
P381	In case of leakage,	-			
P410+P403	Protect from sunligh		-		
SECTION 3: Compo		<u>on on ing</u>	gredie	ents	
Further ingredients	5				
Butane	400.07.0				
CAS No.	106-97-8				
CAS No. EINECS no.	106-97-8 203-448-7	~-	50	0/2	
CAS No. EINECS no. Concentration		>=	50	%	
CAS No. EINECS no. Concentration [3]	203-448-7		50	%	
CAS No. EINECS no. Concentration [3]			50	%	
CAS No. EINECS no. Concentration [3]	203-448-7 julation (EC) No. 1272/20	008)	50	%	
CAS No. EINECS no. Concentration [3]	203-448-7 gulation (EC) No. 1272/20 Flam. Gas 1 Press. Gas	008)	50	%	
CAS No. EINECS no. Concentration [3] Classification (Reg	203-448-7 gulation (EC) No. 1272/20 Flam. Gas 1 Press. Gas	008) H220			
CAS No. EINECS no. Concentration [3] Classification (Reg Additional remarks	203-448-7 gulation (EC) No. 1272/20 Flam. Gas 1 Press. Gas	008) H220			
CAS No. EINECS no. Concentration [3] Classification (Reg Additional remarks CLP Isobutane CAS No.	203-448-7 gulation (EC) No. 1272/20 Flam. Gas 1 Press. Gas Regulation (EC) No 75-28-5	008) H220			
CAS No. EINECS no. Concentration [3] Classification (Reg Additional remarks CLP Isobutane CAS No. EINECS no.	203-448-7 gulation (EC) No. 1272/20 Flam. Gas 1 Press. Gas Regulation (EC) No 75-28-5 200-857-2	008) H220 1272/2008, <i>I</i>	Annex V	l, Note C, U	
CAS No. EINECS no. Concentration [3] Classification (Reg Additional remarks CLP Isobutane CAS No. EINECS no. Concentration	203-448-7 gulation (EC) No. 1272/20 Flam. Gas 1 Press. Gas Regulation (EC) No 75-28-5	008) H220			
CAS No. EINECS no. Concentration [3] Classification (Reg Additional remarks CLP Isobutane CAS No. EINECS no. Concentration [3]	203-448-7 gulation (EC) No. 1272/20 Flam. Gas 1 Press. Gas :: Regulation (EC) No 75-28-5 200-857-2 >= 10	008) H220 1272/2008, <i>i</i>	Annex V	l, Note C, U	
CAS No. EINECS no. Concentration [3] Classification (Reg Additional remarks CLP Isobutane CAS No. EINECS no. Concentration [3]	203-448-7 gulation (EC) No. 1272/20 Flam. Gas 1 Press. Gas :: Regulation (EC) No 75-28-5 200-857-2 >= 10 gulation (EC) No. 1272/20	008) H220 1272/2008, A < 008)	Annex V	l, Note C, U	
CAS No. EINECS no. Concentration [3] Classification (Reg Additional remarks CLP Isobutane CAS No. EINECS no. Concentration [3]	203-448-7 gulation (EC) No. 1272/20 Flam. Gas 1 Press. Gas :: Regulation (EC) No 75-28-5 200-857-2 >= 10	008) H220 1272/2008, <i>i</i>	Annex V	l, Note C, U	
CAS No. EINECS no. Concentration [3] Classification (Reg Additional remarks CLP Isobutane CAS No. EINECS no. Concentration [3]	203-448-7 gulation (EC) No. 1272/20 Flam. Gas 1 Press. Gas :: Regulation (EC) No 75-28-5 200-857-2 >= 10 gulation (EC) No. 1272/20	008) H220 1272/2008, A < 008)	Annex V	l, Note C, U	
CAS No. EINECS no. Concentration [3] Classification (Reg Additional remarks CLP Isobutane CAS No. EINECS no. Concentration [3]	203-448-7 gulation (EC) No. 1272/24 Flam. Gas 1 Press. Gas :: Regulation (EC) No. 75-28-5 200-857-2 >= 10 gulation (EC) No. 1272/24 Flam. Gas 1 Press. Gas	008) H220 1272/2008, A < 008)	Annex V	l, Note C, U	

Safety data sheet in accord	ance with regul	ation (EC	C) No 190	7/2006	čkerbl
Trade name: GasBuddex with	n 15 mm tip and	2 cartridg	es		
	Vers	ion: 2 / DI	ĸ		Date revised: 06.02.2025
Substance number:: 1731	Repl	aces Vers	sion: 1 / D	K	Print date: 21.03.2025
CLP	Regulation	(EC) No 1	272/2008	3, Annex V	/I, Note C, U
propane					
CAS No.	74-98-6				
EINECS no.	200-827-9				
Concentration	>=	10	<	25	%
[3]					
Classification (Reg	gulation (EC) No.	1272/20	08)		
	Flam. Gas	1	H22	C	
	Press. Gas				
Additional remarks	5:				
CLP	Regulation	(EC) No 1	272/2008	3, Annex ∖	/I, Note U
Note					
[2] Cubatanaa with	a a sup offer all as				

[3] Substance with occupational exposure limits

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take affected person to fresh air.

After inhalation

In low concentrations may cause narcotic effects. Symptoms may include dizziness, headache, nausea and loss of co-ordination. In high concentrations may cause asphyxiation. Symptoms mayinclude loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested.Call a doctor. Apply artificial respiration if breathing stopped.

After skin contact

In case of frostbite, rinse with plenty of water. Do not remove clothing. Cover wounds with sterile dressing. Summon a doctor immediately.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical advice immediately.

After ingestion

Ingestion is not considered a potential route of exposure.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Trade name: GasBuddex with 15 mm tip and 2 cartridges

Version: 2 / DK

Substance number:: 1731

Replaces Version: 1 / DK

Date revised: 06.02.2025

Print date: 21.03.2025

Dry powder, Carbon dioxide, Sand

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

If a fire breaks out nearby, pressure build-up and danger of bursting are possible. In the event of fire the following can be released: Carbon monoxide (CO)

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus. Wear protective clothing.

Other information

Cool endangered containers with water spray jet. If possible, stop flow of product. Do not extinguish a leaking gas flame unless absolutely necessary. Spontaneous/explosivereignition may occur.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear self-contained breathing apparatus when entering the area unless the atmosphere is proven to be non-hazardous. Clear area. Ensure adequate ventilation. Keep away sources of ignition. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Try to stop the gas leakage. Prevent penetration into sewers, cellars, working pits or other places where accumulation can be dangerous.

6.3. Methods and material for containment and cleaning up

Ensure sufficient ventilation. Keep area evacuated and free from ignition sources until all spillage has evaporated. (Ground is free of frost).

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Reliably ground equipment. Only use equipment that is suitable for this product and the intended pressure and temperature. Follow the instructions for use exactly. Keep away from sources of ignition!

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature


Value

< 50

Requirements for storage rooms and vessels

The official regulations for the storage of pressurised gas packages must be observed. Storage rooms

°C



Version: 2 / DK

Substance number:: 1731

Replaces Version: 1 / DK Print c

Date revised: 06.02.2025 Print date: 21.03.2025

čkerb

must be properly ventilated. Store away from oxidising gases and other oxidising substances.

Hints on storage assembly

Do not store with strong oxidizing agents.

Storage classes

Storage class according to TRGS 510 2A Gases

Further information on storage conditions

Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Do not inhale gases/vapours/aerosols. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Filter apparatus, filter A/P3

Hand protection

Protective gloves Use chemical-resitant gloves! Suitable for short-term use: 1,4mm Latex or 0,85mm Nitrile (Recommended: Kerbl Fletex (Latex), or Kerbl Chemex (Nitrile)) Hand protection must comply with EN 374. Protect skin from splashes of liquid.

Eye protection

Avoid contact with eyes. Safety glasses with side protection shield; Eye protection must comply with EN 166. Face shield

Body protection

Clothing as usual in the chemical industry. Fire-resistant antistatic protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Pressurised liquified gas	
Colour	colourless	
Odour	odourless	
Melting point		
Remarks	not determined	
Freezing point		
Remarks	not determined	
Boiling point or initial	boiling point and boiling range	
Value	-0,5	°C
Remarks	Information refers to the main component.	

Trade name: GasBuddex with 15 mm		
	Version: 2 / DK	Date revised: 06.02.2025
Substance number:: 1731	Replaces Version: 1 / DK	Print date: 21.03.2025
Flammability		
Flammable.		
Upper and lower explosive	ve limits	
Lower explosion limit	1,4	%(V)
Upper explosion limit	9,4	%(V)
Remarks	Information refers to the main	component.
Flash point		
Value	-60	°C
Remarks	Information refers to the main	component.
Auto-ignition temperature	e	
Value	365	°C
Remarks	Information refers to the main	component.
Decomposition temperate	ure	
Remarks	not determined	
pH value		
Remarks	not determined	
Viscosity		
Remarks	not determined	
Solubility(ies)	hot determined	
Remarks	not determined	
Partition coefficient n-oc		
Remarks	not determined	
Vapour pressure		
Value	2,73	bar
Density and/or relative de	ensity	
Value	0,559	
Relative vapour density		
Value	1,91	
9.2. Other information		
Odour threshold		
Remarks	not determined	
Evaporation rate (ether =	-	
Remarks	not determined	
Solubility in water		
Remarks	No data available	
Explosive properties		
evaluation	Container is under pressure: r	nay burst when heated.
Oxidising properties		
Remarks	not determined	
Other information		



Trade name: GasBuddex with 15 mm tip and 2 cartridges

Version: 2 / DK

Substance number:: 1731

Replaces Version: 1 / DK Print

Date revised: 06.02.2025

Gas / vapours are heavier than air. Can accumulate in enclosed spaces especially at or below ground level.

SECTION 10: Stability and reactivity

10.1. Reactivity

Container is under pressure: may burst when heated.

10.2. Chemical stability

No decomposition if used as prescribed.

10.3. Possibility of hazardous reactions

No dangerous reactions when stored and handled according to instructions. Vapours can form an explosive mixture with air. May react violently with oxidising substances.

10.4. Conditions to avoid

Sun exposure, high temperatures, ignition sources.

10.5. Incompatible materials

Reacts violently with: Strong oxidising agents

10.6. Hazardous decomposition products

Hazardous decomposition products should not be formed under normal storage and use conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity				
Remarks	Based on available data, the classification criteria are not met.			
Acute dermal toxicity				
Remarks	Based on available data, the classification criteria are not met.			
Acute inhalational toxicity				
Remarks	Based on available data, the classification criteria are not met.			
Skin corrosion/irritation				
Remarks	Based on available data, the classification criteria are not met.			
Serious eye damage/irritation				
Remarks	Based on available data, the classification criteria are not met.			
Sensitization				
Remarks	Based on available data, the classification criteria are not met.			
Subacute, subchronic, chronic toxicity				
Remarks	Based on available data, the classification criteria are not met.			
Mutagenicity				
Remarks	Based on available data, the classification criteria are not met.			
Reproductive toxicity				
Remarks	Based on available data, the classification criteria are not met.			
Carcinogenicity				
Remarks	Based on available data, the classification criteria are not met.			

Trade name: GasBuddex with 15 mm tip and 2 cartridges

Version: 2 / DK

Date revised: 06.02.2025

Substance number:: 1731

Remarks

Replaces Version: 1 / DK

Print date: 21.03.2025

Specific Target Organ Toxicity (STOT)

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

No data available.

Other information

In low concentrations may cause narcotic effects.

Symptoms may include dizziness, headache, nausea and loss of co-ordination. In high concentrations may cause asphyxiation.

SECTION 12: Ecological information

12.1. Toxicity

General information

The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks

not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

Mixture does not meet PBT or vPvB criteria.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment No data available.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations



Date revised: 06.02.2025

Print date: 21.03.2025

Trade name: GasBuddex with 15 mm tip and 2 cartridges

Version: 2 / DK

Replaces Version: 1 / DK

Substance number:: 1731

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code 16 05 04* gases in pressure containers (including halons) containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Vapours can form an explosive mixture with air.

Waste gasshould be flared through a suitable burner with flash back arrestor. Do not discharge into any placewhere its accumulation could be dangerous. Contact supplier if guidance is required.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	2037	2037	2037
14.2. UN proper shipping name	RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES)	RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES)	RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES)
14.3. Transport hazard class(es)	2	2.2	2.2
Label	2	2	2
Limited Quantity	11	11	
Transport category	3		
Tunnel restriction code	E		

Information for all modes of transport

14.6. Special precautions for user

none

Other information

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Other transport information:

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the eventof an accident or an emergency.

Before transporting product containers ensure that they are firmlysecured. Ensure that the container valve

Trade name: GasBuddex with 15 mm tip and 2 cartridges

Version: 2 / DK

Date revised: 06.02.2025

Substance number:: 1731

Replaces Version: 1 / DK

Print date: 21.03.2025

is closed and not leaking

Ensure that the valve outlet capnut or plug (where provided) is correctly fitted. Ensure that the valve protection device (where provided) is correctly fitted. Ensure adequate ventilation. Ensure compliance with applicable regulations.

Remark: Both cartridges in the box are without a releasedevice.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (CH)

%

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

100

SECTION 16: Other information

Hazard statements listed in Chapter 3

H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.

CLP categories listed in Chapter 3

Flam. Gas 1Flammable gas, Category 1Press. Gas (Liq.)Gases under pressure (liquefied gas)

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.